

# 西贝虎 水陆两栖车

Amphibious All Terrain Vehicle



无所不至 无所不能  
Able to reach anywhere Able to do anything



浙江西贝虎特种车辆股份有限公司  
Zhejiang Xibei Hu Special Vehicle Co., Ltd

地址：浙江省义乌市机场路629号（北苑工业区）

Add: No. 629 Airport Road Yiwu Zhejiang Province, China

销售热线 Sales Tel: +86-579-85421888 +86 13506895858

E-mail: JWL62@163.com / export@chinaxbh.com

**NEW**



探索新的可能

EXPLORE THE **NEW** POSSIBILITIES



# 浙江西贝虎特种车辆股份有限公司

## Zhejiang XibeiHu Special Vehicle Co.,Ltd



### Introduction of the company

#### 企业简介

Zhejiang XibeiHu Special Vehicle Co., Ltd is a high-tech enterprise, specializing in development, manufacture and sales of Amphibious ATV. Within several years' R&D and cooperation with Academy of Armored Force Engineering of PLA, it has successfully developed a new generation and thoroughly intellectual property owned vehicle XIBEIHU Amphibious ATV, which has filled up the domestic vacancy use of Amphibious ATV. Through all performance tests and normal practice, XIBEIHU is proved to be able to run freely under all kinds of tough terrains like in water, hills, swamp, snow land, forest, desert etc and can have continuous work under abnormal temperature of  $\pm 40^{\circ}\text{C}$ . Several key technical skills XIBEIHU owned have exceeded the international advanced level.

浙江西贝虎特种车辆股份有限公司，是一家专业从事水陆两栖全地形特种车开发、生产和销售的高科技企业。公司与中国人民解放军装甲兵工程学院合作，历经多年攻关，成功开发出新一代水陆两栖全地形作业车辆——西贝虎水陆两栖全地形车。公司具有完全自主知识产权，并填补国内空白。经各项性能测试及实地驾驶，西贝虎能在水上、山丘、沼泽、雪地、森林、沙漠等各种恶劣地形中自由行驶，并能在  $\pm 40^{\circ}\text{C}$  的超常规温度环境下连续作业，多项关键技术超过国际先进水平。

[www.chinaxbh.com](http://www.chinaxbh.com) | [chinaxbh.1688.com](http://chinaxbh.1688.com) | [jsqy.en.alibaba.com](http://jsqy.en.alibaba.com)







## 西贝虎 水陆两栖车 Amphibious All Terrain Vehicle

与中国人民解放军装甲兵工程学院合作开发的新一代水陆两栖车——**西贝虎**，不仅具备陆地机动灵活的超强通过性能，同时还能在水上漂浮行驶，完全实现了车辆的两栖使用功能。它是中国“智”造的代表产品，各项性能指标均处于国际领先地位。西贝虎具有完全的知识产权，现已拥有数十项核心专利。

西贝虎系列车型已广泛应用于多个领域，产品远销全球一百多个国家和地区。

**典型产品:** 6X6和8X8系列水陆两栖全地形车、履带驱动车、消防泵浦车……

**性能特点:** 6X6全驱动、8X8全驱动、履带驱动、±40°C气温作业、无级变速、32度爬坡、360度原地转向、1.2米壕沟横跨、差速制动转向、全密封高强度车体……

**适用范围:** 1.全地形(如:沼泽、沙滩、非铺装路面); 2.内河、湖泊等平静水面(四级水域); 3.山丘、雪地、森林、沙漠……

**使用用途:** 抢险、救灾、探险、狩猎、垂钓、旅游、娱乐……

**拥有证书:** CE证书、CCS证书、国家机动车产品质量监督检验中心的合格证等。



**“XIBEIHU” - a new generation of Amphibious All Terrain Vehicle, which is developed by our company with the cooperation of The Academy of Armored Forces Engineering, which not only has the super maneuverability on land, but also it can float and drive on water, which really realize the function of amphibious vehicle. “XIBEIHU” is a representative product of high technology. The vehicle is not only manufactured by China but designed by China as well., and it's performances are of state-of-the-art. “XIBEIHU” has fully proprietary intellectual property, including dozens of core patents. “XIBEIHU” series vehicles have been widely used in many fields and the products have been exported to more than 100 countries and regions.**

**Typical Products:** XBH 6X6 and 8X8 Series Amphibious All Terrain Vehicle, Caterpillar Drive Vehicle, Fire-fighting Pump Vehicle etc...

**Performance Characteristics:** 6X6 All Wheel Drive, 8X8 All Wheel Drive, Caterpillar Drive, ±40°C Temperature Work, CVT, 32 Degree Climbing, 360 Degree Turning on the Ground, 1.2 Meter Wide Trenches Across, Braking Differential Steering, and Full-sealed High Strength Vehicle Body etc...

**Application Scope:** All Terrains such as Swamp, Beach, Non-paved road; Rivers, Lakes and other Calm Waters (4 grade water); Hills, Snow Land, Forest, Desert etc...

**Functionality:** Rescue, Exploration, Hunting, Fishing, Tourism, Entertainment etc...

**Certificate:** CE certificate, CCS certificate, National Motor Vehicle Products Quality Supervision and Inspection Center certificate etc...





# XBH 8X8-2



## XBH 8x8-2 标准配置 Standard Configuration Vehicle

- |                   |  |
|-------------------|--|
| 1. 水陆两栖多用途车辆。     | 1. Amphibious and versatile vehicle.                         |
| 2. 宽敞的后座空间，可用作货舱。 | 2. A large space of rear seat can be used as cargo platform. |
| 3. 可加载定置设备并快速更换。  | 3. Can load customized devices and quickly replace.          |
| 4. 适用于多种场合，全天候驾驶。 | 4. Apply to many situations, all-weather driving.            |




## XBH 8X8-2 主要参数 Parameters

车身尺寸 Dimensions of vehicles	3160×1720×1150mm
轴距 Wheel space	670+670+670mm
轮距 Track	1420mm
最小离地间隙 Ground clearance	180mm
整车干质量 Curb weight	750kg
额定载重 Rated load	陆地: 500kg (或6人)    水上: 300kg (或4人) On land: 500kg (6 people)    On water: 300kg (4 people)
最高车速 Maximum speed	陆地: 45km/h    水上: 5km/h (轮胎划水) 12km/h (15马力舷外机) On land: 45km/h    On water: 5km/h (Tyre thrash) 12km/h (15 hp outboard)
最小转弯半径 Minimum turning radius	0.71m
最大爬坡角 Maximum slope	32°
发动机型号 Engine model	SQR372
发动机型式 Engine type	立式、三缸、水冷、四冲程、直列顶置双凸轮轴 3-cylinder, inline, 4-stroke, water-cooled, DOHC
缸径×行程 Bore×Stroke	72×66.5mm
排量/标定功率 Displacement / Rated power	812ml/39kW
最大扭矩 Maximum torque	70N·m
离合方式/变速形式 Clutch / Transmission	CVT/CVT+2前进档、空档、倒档 CVT/CVT+2 forwards, neutral and reverse gear
燃油牌号/油箱容积 Fuel type / Oil tank capacity	汽油 93#/38L    Gasoline 93#/38L


**可选附件:** 可调座椅(前排)、保险杠、绞盘、排水装置、牵引球头与座、后脚踏板、挡风窗、刮水器、车篷、侧翻架、警灯、暖风系统、舷外机、履带、防浪板、推雪铲、气垫、工具袋、车罩等。

**Optional Equipment:** Adjustable Seat, Bumper, Winch, Drain Equipment, Traction Ball Head and Seat, Rear Foot Pedal, Foldable Windshield, Windshield Wiper, Top, Anti-roll Rack, Alert Lamp, Heating System, Outboard Motor, Track, Breakwater Board, Snow Plough, Air Cushion, Utility Storage Pouch, Vehicle Cover, etc.

### 车身颜色 Available XBH colors



### 车身尺寸 Dimensions of vehicle





# XBH 8X8-2A

## 喷水推进车 Jet Propelled Vehicle



## XBH 8X8-2A 主要参数 Parameters

车身尺寸 Dimensions of vehicles	3160×1720×1150mm	
轴距 Wheel space	670+670+670mm	
轮距 Track	1420mm	
最小高地间隙 Ground clearance	180mm	
整车干质量 Curb weight	830kg	
额定载重 Rated load	陆地: 500kg (或6人) On land: 500kg (6 people)	水上: 300kg (或4人) On water: 300kg (4 people)
最高车速 Maximum speed	陆地: 45km/h On land: 45km/h	水上: 12km/h On water: 12km/h
最小转弯半径 Minimum turning radius	0.71m	
最大爬坡角 Maximum slope	32°	
发动机型号 Engine model	SQR372	
发动机型式 Engine type	立式、三缸、水冷、四冲程、直列顶置双凸轮轴 3-cylinder, inline, 4-stroke, water-cooled, DOHC	
缸径×行程 Bore × Stroke	72×66.5mm	
排量/标定功率 Displacement / Rated power	812ml/39kW	
扬程/系泊推力 Pump lift / Static thrust	60m/1200N	
离合方式/变速形式 Clutch / Transmission	CVT/CVT+2前进档、空档、倒档 CVT/CVT+2 forwards, neutral and reverse gear	
燃油牌号/油箱容积 Fuel type / Oil tank capacity	汽油 93#/38L Gasoline 93#/38L	

**可选附件:** 可调座椅(前排)、保险杠、绞盘、排水装置、牵引球头与座、后脚踏板、挡风窗、刮水器、车篷、侧翻架、警灯、暖风系统、履带、防浪板、推雪铲、气垫、工具袋、车罩等。

**Optional Equipment:** Adjustable Seat, Bumper, Winch, Drain Equipment, Traction Ball Head and Seat, Rear Foot Pedal, Foldable Windshield, Windshield Wiper, Top, Anti-roll Rack, Alert Lamp, Heating System, Track, Breakwater Board, Snow Plough, Air Cushion, Utility Storage Pouch, Vehicle Cover, etc.


### 个性化的西贝虎

1. 可以在水中漂浮，特别设计的喷水推进系统可以更轻松地推动西贝虎在水中前进。
2. 水泵同时具有抽水功能，可用于农村灌溉或为城市内涝提供排水作业。
3. 有足够的空间搭载您的朋友和战利品，深受垂钓爱好者的喜爱。


### Individual XBH

1. XBH can float on water. Special design of jet propelled system can push XBH forward in the water more easily.
2. Water spray with pumping function, apply to rural irrigation or drainage for city waterlogging.
3. At the same time, XBH has enough space to load your friends and trophies, so it is deeply loved by people who like fishing.

### 车身颜色 Available XBH colors



### 车身尺寸 Dimensions of vehicle





# XBH 8X8-2B

## 雪地车 Snowmobile Vehicle



## XBH 8X8-2B 主要参数 Parameters

车身尺寸 Dimensions of vehicles	3160×1720×1150mm
履带着地长 The length of track on ground	1930mm
履带中心距 Track center distance	1313mm
最小高地间隙 Ground clearance	270mm
整车整备质量 Complete vehicle kerb mass	900kg
额定载重 Rated load	500kg (或6人) 500kg (6 people)
最高车速 Maximum speed	≤30km/h
最小转弯半径 Minimum turning radius	2m
最大爬坡角 Maximum slope	32°
发动机型号 Engine model	SQR372
发动机型式 Engine type	立式、三缸、水冷、四冲程、直列顶置双凸轮轴 3-cylinder, inline, 4-stroke, water-cooled, DOHC
缸径×行程 Bore×Stroke	72×66.5mm
排量/标定功率 Displacement / Rated power	812ml/39kW
最大扭矩 Maximum torque	70N·m
离合方式/变速形式 Clutch / Transmission	CVT/CVT+2前进档、空档、倒档 CVT/CVT+2 forwards, neutral and reverse gear
燃油牌号/油箱容积 Fuel type / Oil tank capacity	汽油 93#/38L Gasoline 93#/38L

**可选附件:** 保险杠、绞盘、排水装置、牵引球头与座、后脚踏板、挡风窗、刮水器、车篷、侧翻架、警灯、暖风系统、推雪铲、工具袋、车罩等。

**Optional Equipment:** Bumper, Winch, Drain Equipment, Traction Ball Head and Seat, Rear Foot Pedal, Foldable Windshield, Windshield Wiper, Top, Anti-roll Rack, Heating System, Snow Plough, Utility Storage Pouch, Vehicle Cover, etc.

### 享受梦境般的户外生活

- 履带驱动，地面压力较低。
- 较小的接地比压可以减少路途的颠簸。
- 可以轻松穿越沼泽与雪地，使您在任何时候都可以造访您的乡间别墅。


### Enjoy a dream-like outdoor life

- Track drive, Low ground pressure.
- Lower ground pressure can reduce the bump on the road.
- Passing through the swamp and snow road easily can make you visit your villa at any time.

### 车身颜色 Available XBH colors



### 车身尺寸 Dimensions of vehicle





# XBH 8X8-2C

## 柴油车 Diesel Engine Vehicle



### 西贝虎极限越野性能

1. 可以产生更大的扭矩, 有更卓越的爬坡性能及更强大的动力。
2. 驾驶安全性高。
3. 燃料成本低。

### XBH Extreme off Road Performance

1. Larger torque, bigger power and more excellent mountain claiming performance.
2. Safer for drivers.
3. Lower cost for fuel.




## XBH 8X8-2C 主要参数 Parameters

车身尺寸 Dimensions of vehicles	3160×1720×1150mm
轴距 Wheel space	670+670+670mm
轮距 Track	1420mm
最小高地间隙 Ground clearance	180mm
整车干质量 Curb weight	780kg
额定载重 Rated load	陆地: 500kg (或6人)    水上: 300kg (或4人) On land: 500kg (6 people)    On water: 300kg (4 people)
最高车速 Maximum speed	陆地: 45km/h    水上: 5km/h (轮胎划水) 12km/h (15马力舷外机) On land: 45km/h    On water: 5km/h (Tyre thrash) 12km/h (15 hp outboard)
最小转弯半径 Minimum turning radius	0.71m
最大爬坡角 Maximum slope	32°
发动机型号 Engine model	KDW1003
发动机型式 Engine type	直列、水冷、四冲程 Inline, water-cooled, 4-stroke
缸径×行程 Bore × Stroke	75×77.6mm
排量/标定功率 Displacement / Rated power	1028ml/19.5-26.5kW
最大扭矩 Maximum torque	67N·m
离合方式/变速形式 Clutch / Transmission	CVT/CVT+2前进档、空档、倒档 CVT/CVT+2 forwards, neutral and reverse gear
燃油牌号/油箱容积 Fuel type / Oil tank capacity	柴油 0#/38L    Diesel 0#/38L


**可选附件:** 可调座椅(前排)、保险杠、绞盘、排水装置、牵引球头与座、后脚踏板、挡风窗、刮水器、车篷、侧翻架、警灯、暖风系统、舷外机、履带、防浪板、推雪铲、气垫、工具袋、车罩等。

**Optional Equipment:** Adjustable Seat, Bumper, Winch, Drain Equipment, Traction Ball Head and Seat, Rear Foot Pedal, Foldable Windshield, Windshield Wiper, Top, Anti-roll Rack, Alert Lamp, Heating System, Outboard Motor, Track, Breakwater Board, Snow Plough, Air Cushion, Utility Storage Pouch, Vehicle Cover, etc.

### 车身颜色 Available XBH colors



### 车身尺寸 Dimensions of vehicle





# XBH 6X6-1



## 经济型全地形车

1. 最多可搭载四名乘客和相应工具。
2. 可选择安装全天候履带。
3. 稳定的低重心全轮驱动（履带）。



## Economical All Terrain Vehicle

1. Can load 4 people at most and related tools.
2. Can choose to install all-weather track.
3. Stable low center of gravity, all wheel drive (track).




## XBH 6X6-1 主要参数 Parameters

车身尺寸 Dimensions of vehicles	2710×1720×1980mm	
轴距 Wheel space	730+730mm	
轮距 Track	1420mm	
最小高地间隙 Ground clearance	214mm	
整车干质量 Curb weight	680kg	
额定载重 Rated load	陆地: 300kg (或4人) On land: 300kg (4 people)	水上: 200kg (或2人) On water: 200kg (2 people)
最高车速 Maximum speed	陆地: 45km/h On land: 45km/h	水上: 5km/h (轮胎划水) 12km/h (15马力舷外机) On water: 5km/h (Tyre thrash) 12km/h (15 hp outboard)
最小转弯半径 Minimum turning radius	0.71m	
最大爬坡角 Maximum slope	32°	
发动机型号 Engine model	SQRB2G06	
发动机型式 Engine type	立式、二缸、水冷、四冲程、直列顶置双凸轮轴 2-cylinder, inline, 4-stroke, water-cooled, DOHC	
缸径×行程 Bore×Stroke	72×72mm	
排量/标定功率 Displacement / Rated power	586ml/26kW	
最大扭矩 Maximum torque	52N·m	
离合方式/变速形式 Clutch / Transmission	CVT/CVT+2前进档、空档、倒档 CVT/CVT+2 forwards, neutral and reverse gear	
燃油牌号/油箱容积 Fuel type / Oil tank capacity	汽油 93#/38L Gasoline 93#/38L	


**可选附件:** 保险杠、绞盘、排水装置、牵引球头与座、后脚踏板、挡风窗、顶棚、侧翻架、警灯、舷外机、履带、防浪板、推雪铲、车罩等。

**Optional Equipment:** Bumper, Winch, Drain Equipment, Traction Ball Head and Seat, Rear Foot Pedal, Foldable Windshield, Top, Anti-roll Rack, Alert Lamp, Heating System, Outboard Motor, Track, Breakwater Board, Snow Plough, Vehicle Cover, etc.

## 车身颜色 Available XBH colors



## 车身尺寸 Dimensions of vehicle





# XBH 6X6-1B

## 履带驱动车 Track Drive Vehicle



### 国产新型迷你坦克

1. 模拟坦克的操作方式，简单易学。
2. 可加装电子对抗和发声设备，可以单台或多台进行模拟坦克大战。
3. 轻量化的设计，机动性好。
4. 超强的越野性能。

### Domestic new mini tank

1. Simulat tank operation mode. Easy to Learn.
2. Can install electronic warfare and sound equipment, this kind of vehicle can simulate tank warfare with one unit or more units.
3. Light weight design and good mobility.
4. Excellent off road performance.


## XBH 6X6-1B 主要参数 Parameters

车身尺寸 Dimensions of vehicles	2670 (含炮管3730) × 1600 × 1380mm 2670 (Including barrel 3730) × 1600 × 1380mm
履带着地长 The length of track on ground	1480mm
履带中心距 Track center distance	1313mm
最小高地间隙 Ground clearance	180mm
整车整备质量 Complete vehicle kerb mass	800kg
额定载重 Rated load	160kg (或2人) 160kg (2 people)
最高车速 Maximum speed	≤25km/h
最小转弯半径 Minimum turning radius	1.6m
最大爬坡角 Maximum slope	32°
发动机型号 Engine model	SQRB2G06
发动机型式 Engine type	立式、二缸、水冷、四冲程、直列顶置双凸轮轴 2-cylinder, inline, 4-stroke, water-cooled, DOHC
缸径×行程 Bore × Stroke	72 × 72mm
排量/标定功率 Displacement / Rated power	586ml/26kW
最大扭矩 Maximum torque	52N·m
离合方式/变速形式 Clutch / Transmission	CVT/CVT+2前进档、空档、倒档 CVT/CVT+2 forwards, neutral and reverse gear
燃油牌号/油箱容积 Fuel type / Oil tank capacity	汽油 93#/38L Gasoline 93#/38L


**可选附件:** 保险杠、绞盘、排水装置、牵引球头与座、后脚踏板、挡风窗、顶棚、侧翻架、警灯、推雪铲、车罩等。

**Optional Equipment:** Bumper, Winch, Drain Equipment, Traction Ball Head and Seat, Rear Foot Pedal, Foldable Windshield, Top, Anti-roll Rack, Alert Lamp, Heating System, Snow Plough, Vehicle Cover, etc.

### 车身颜色 Available XBH colors



### 车身尺寸 Dimensions of vehicle





# XBH 6X6-2



## 为战胜极端地形而生

1. 较大的车轮与较高的底盘，理想的接近角与离去角，轻松越过障碍。
2. 具有更高动力性能，效率提高，实现最佳操作特性。

## It is born to overcome extreme terrain

1. Larger wheels and higher chassis, good approach angle and departure angle make it easier to pass through the obstacle.
2. It has more powerful dynamic performance and higher efficiency which can achieve the best operation.


## XBH 6X6-2 主要参数 Parameters

车身尺寸 Dimensions of vehicles	3160×1720×1230mm
轴距 Wheel space	935+1070mm
轮距 Track	1420mm
最小离地间隙 Ground clearance	260mm
整车干质量 Curb weight	800kg
额定载重 Rated load	陆地:500kg (或6人) 水上:300kg (或4人) On land:500kg (6 people) On water:300kg (4 people)
最高车速 Maximum speed	陆地:70km/h 水上:12km/h (15马力舷外机) On land:70km/h On water:12km/h (15 hp outboard)
最小转弯半径 Minimum turning radius	0.71m
最大爬坡角 Maximum slope	32°
发动机型号 Engine model	SQR472
发动机型式 Engine type	立式、四缸、水冷、四冲程、直列顶置双凸轮轴 4-cylinder, inline, 4-stroke, water-cooled, DOHC
缸径×行程 Bore×Stroke	72×66.5mm
排量/标定功率 Displacement / Rated power	1083ml/50kW
最大扭矩 Maximum torque	90N·m
离合方式/变速形式 Clutch / Transmission	CVT/CVT+2前进档、空档、倒档 CVT/CVT+2 forwards, neutral and reverse gear
燃油牌号/油箱容积 Fuel type / Oil tank capacity	汽油 93#/38L Gasoline 93#/38L


**可选附件:** 可调座椅(前排)、保险杠、绞盘、排水装置、牵引球头与座、后脚踏板、挡风窗、刮水器、车篷、侧翻架、警灯、暖风系统、舷外机、防浪板、推雪铲、气垫、工具袋、车罩等。

**Optional Equipment:** Adjustable Seat, Bumper, Winch, Drain Equipment, Traction Ball Head and Seat, Rear Foot Pedal, Foldable Windshield, Windshield Wiper, Top, Anti-roll Rack, Alert Lamp, Heating System, Outboard Motor, Breakwater Board, Snow Plough, Air Cushion, Utility Storage Pouch, Vehicle Cover, etc.

## 车身颜色 Available XBH colors



## 车身尺寸 Dimensions of vehicle





# XBH 8X8-2

## 森林泵浦车 Forest Pump Vehicle

### BB-4



Mini-Striker



#### 消防泵性能特征

西贝虎水陆两栖全地形泵浦车能深入各种复杂的环境作业，在一般车辆难以靠近的水源进行抽水 and 输水，为其它水车、接力水泵移动水池等持续远程供水，同时也能直接应用于消防灭火，最大限度地降低灾难中的人身与财产损失。

此外，泵浦车还有足够空间来运输物资与人员，满足不同状况的需要。

BB-4 水泵不仅在远距离输水方面无与伦比的优势，而且垂直输水距离可达 300 多米，并可搭配 Mini-Striker 实现远距离接力供水。

XBH Amphibious All Terrain Pump Vehicle can work in all kinds of complex terrain. It can pump water and deliver water where other vehicles can not easily approach, and keep supplying water in a long distance to other water storage car, relay pump and removable pool etc, and also can be applied to fire-fighting which can maximum reduce the life and property loss in disaster. What's more, The Pump Vehicles have enough space to transport people and material. The vehicle meet the needs of different conditions. The BB-4 water pump not only has advantages in long distance watersuppling, but also can vertically deliver water up to 300 meters and achieve long distance relay water supply with Mini-Striker.

#### 车型参数 Parameters

车身尺寸 Dimensions of vehicles	3160 × 1720 × 1150 mm
轴距 Wheel space	670+670+670mm
轮距 Track	1420mm
最小离地间隙 Ground clearance	≥180mm
整车干质量 Curb weight	800kg
最小外侧转弯半径 Minimum turning radius	≤0.71m
发动机型号 Engine model	SQR372
发动机型式 Engine type	立式、三缸、水冷、四冲程、直列顶置双凸轮轴 3-cylinder, inline, 4-stroke, water-cooled, DOHC
缸径×行程 Bore × Stroke	72 × 66.5mm
排量 Displacement	812ml
标定功率 Rated power	39kW
最大扭矩 Maximum torque	70N·m
离合方式/变速形式 Clutch / Transmission	CVT/CVT+2前进档、空档、倒档 CVT/CVT+2 forwards, neutral and reverse gear
燃油牌号/油箱容积 Fuel type / Oil tank capacity	汽油 93#/38L Gasoline No 93/38L

#### 消防泵主要参数 Fire pump parameters

型号 model	BB-4
排量 Displacement	627cc
功率 Rated power	23HP (17.2kW)
最大压力 Maximum pressure	440PSI (30.3bar)
开动系统 Starter system	电气 Electrical
点火系统 Ignition system	磁控电子 Magnetron
润滑油 Lubrication	机油 Oil
扬程 Pump lift	310m
最大流量 Maximum flow rate	401L/mins
重量 Weight	77kg
耗油量 Fuel consumption	6.8L/H
进口口径 Inlet diameter	51mm
出口口径 Outlet diameter	38mm
外形尺寸 Outline dimension	890 × 570 × 540mm




**产品用途:** 适用于消防，亦可适用于抗洪排涝、抗旱远距离供水、场地冲洗及其它需要应急措施的理想设备。

**Function:** It is suitable for fire fighting and also for fighting against the flood and drainage. What's more, it can supply water for a long distance, flush the ground and a ideal equipment for emergency.



# XBH 8X8-2

## 消防车 Fire-fighting Vehicle



### 细水雾与消防泵性能特征

细水雾与消防泵具有结构紧凑、启动方便、出水迅速、流量大、扬程高、灭火效率高、工作稳定可靠等特点。对狭路、深巷及大型消防车不能通过的场所具有灵活机动的特点，还对城市、森林及缺少水源的场所具有高效能灭火的优点。

### Mist and Fire Pump Performance

They have the following characteristics: compact structure, easy starting, quick effluent, large flow, high lift, high efficiency of fire fighting and stable and reliable work. For some narrow road, long alley and some places that large fire engines can not pass, our XBH Fire Engine Vehicles have advantages of flexibility and high efficiency of fire fighting for some cities and forest where are lack of water resource.

### 手抬式机动消防泵组主要参数 Fire-pump

发动机 Engine	卧式、单缸、电动、风冷、汽油四冲程 Horizontal, single cylinder, motor-driven, fan-cooled, gasoline four-stroke
水泵类型 Water pump	单级离心泵 Single-stage centrifugal pump
输出功率 Output power	13HP(可选9HP、11HP等) 13HP(9HP、11HP Optional)
点火方式 Ignition	飞轮永久电机 Flywheel permanent motor
润滑方式 Lubrication	机油强制润滑 Oil lubrication
启动方式 Starter	电启动 Motor starter
油箱容积 Oil tank capacity	6.5L (4L/H)
真空泵 Vacuum pump	碳纤维有油式(最大吸深约8米) Carbon fiber oil (maximum suction depth about 8 meters)
抽空时间 Pump-down time	3m (5s) 7m (8s)
进水口径 Inlet diameter	65mm
出水口径 Outlet diameter	65mm
	380L/min/0.6MPa (9HP)
流量/压力(吸程3米) Flow rate/Pressure (3m)	720L/min/0.4MPa (11HP)
	980L/min/0.2MPa (13HP)



### 细水雾主要参数 Portable Water Mist Fire Extinguisher

发动机型号 Engine model	Honda G×160
功率 Power	5.5HP
转速 Turning speed	3600rpm/min
泵浦 Pump	BROOWE
泵浦型号 Pump model	FM430
高压泵流量 Flow rate	40L/min
额定压力 Rated pressure	40Bar
转速 Turning speed	650rpm/min
传动方式 Transmission	齿轮箱 Gear box
射程 Injection range	直流 15-20m DC 15-20
射程 Injection range	细雾 12m Mist 12
圆盘管长度 Hose length	30/40/50/60m可选 30/40/50/60m Optional
泡沫桶容积 Foam bucket capacity	15L
水箱容积 Tank capacity	304L



**产品用途:** 适用于消防, 亦可适用于抗洪排涝、抗旱远距离供水、场地冲洗及其它需要应急措施的理想设备。

**Function:** It is suitable for fire fighting and also for fighting against the flood and drainage. What's more, it can supply water for a long distance, flush the ground and a ideal equipment for emergency.



# XBH 8X8-2

## 厢式消防车 Fire-fighting Truck



### 厢式消防车功能介绍

西贝虎全地形消防车拥有超强的越野性能，无论是在崎岖的山路还是在狭窄的街道，只要能让车身进入的空间就能快速、灵活地进行灭火救援。能广泛用于扑救森林、山地、草原、乡村古镇等多种复杂环境下的火灾。

### Introduction for Fire Engine Truck

XBH All Terrain Fire-fighting engines vehicles have superior off-road performance. Whether in the rugged mountain road or in the narrow streets, as long as the vehicle body can get out of the space, it will be able to fight against fire and rescue quickly and flexibly. It can be widely used to save the forest, mountains, grasslands, rural towns and other complex environment of the fire disaster.




### 手抬式机动消防泵组主要参数 Fire-pump

发动机 Engine	卧式、单缸、电动、风冷、汽油四冲程 Horizontal, single cylinder, motor-driven, fan-cooled, gasoline four-stroke.
水泵类型 Water pump	单级离心泵 Single-stage centrifugal pump
输出功率 Output power	13HP (可选9HP、11HP等) 13HP (9HP、11HP Optional)
点火方式 Ignition	飞轮永久电机 Flywheel permanent motor
润滑方式 Lubrication	机油强制润滑 Oil lubrication
启动方式 Starter	电启动 Motor starter
油箱容积 Oil tank capacity	6.5L (4L/H)
真空泵 Vacuum pump	碳纤维有油式 (最大吸深约8米) Carbon fiber oil (maximum suction depth about 8 meters)
抽空时间 Pump-down time	3m (5s) 7m (8s)
进水口径 Inlet diameter	65mm
出水口径 Outlet diameter	65mm
	360L/min/0.6MPa (9HP)
流量/压力(吸程3米) Flow rate/Pressure (3m)	720L/min/0.4MPa (11HP)
	980L/min/0.2MPa (13HP)

### 细水雾主要参数 Portable Water Mist Fire Extinguisher

发动机型号 Engine model	Honda G X 160
功率 Power	5.5HP
转速 Turning speed	3600rpm/min
泵浦 Pump	BROOWE
泵浦型号 Pump model	FM430
高压泵流量 Flow rate	40L/min
额定压力 Rated pressure	40Bar
转速 Turning speed	650rpm
传动方式 Transmission	齿轮箱 Gear box
射程 Injection range	直流 15-20m DC 15-20
射程 Injection range	细雾 12m Mist 12
圆盘管长度 Hose length	30/40/50/60m可选 30/40/50/60m Optional
泡沫桶容积 Foam bucket capacity	15L
水箱容积 Tank capacity	304L

\* 消防泵或细水雾可根据客户需求选择其中之一安装。According to customers' needs, they can choose fire pump or mist to install.



**产品用途:** 适用于消防, 亦可适用于抗洪排涝、抗旱远距离供水、场地冲洗及其它需要应急措施的理想设备。

**Function:** It is suitable for fire fighting and also for fighting against the flood and drainage. What's more, it can supply water for a long distance, flush the ground and a ideal equipment for emergency.



**游乐坦克车 Amusement tiny tank**



**游乐坦克车**

1. 电子仿真坦克，操作便捷，行驶灵活。
2. 可仿照坦克对立游戏，新颖性、参与性、趣味性、刺激性强。
3. 可广泛应用于国防教育基地、红色旅游根据地、青少年夏令营活动、旅游景点等领域。

**Amusement tiny tank**

1. Electronic simulation tank, easy to operate, flexible to drive.
2. Can imitate the fighting game of tank. Specialized in novelty, participation, interest and excitement.
3. Can be widely used in National Defense Education Base, Red Tourism Base, Youth Summer Camp and other fields.

**游乐坦克车主要参数 Parameters**

车身尺寸 Dimensions of vehicles	2400 (含炮管2960) × 1460 × 1150mm 2400 (including barrel 2960) × 1460 × 1150mm
轴距 Wheel Space	720mm
履带中心距 Track center distance	1200mm
最小离地间隙 Ground clearance	150mm
整车整备质量 Complete vehicle kerb mass	400kg
额定载重 Rated load	160kg (或2人) 160kg (2 people)
最高车速 Maximum speed	≤15km/h
最小转弯半径/最大爬坡角 Minimum turning radius / Maximum slope	0.69m/30°
发动机型号 Engine model	190FD
发动机型式 Engine type	单缸、四冲程强制风冷 4-Stroke 25°、Single cylinder with air-cooled
缸径×行程/排量 Bore×Stroke / Displacement	90×66mm / 420ml
最大功率/推荐使用功率 Max power output / Pecommded power using	10.5kW/3600rpm / 8.5kW/3600rpm
最大扭矩 Maximum torque	23N·m/2500rpm
点火系统/启动方式 Ignition system / Start model	无触点晶体管点火/电启动 Non-contact transistorized ignition / Electric
冷却方式/变速形式 Cooling Mode / Transmission	强制风冷/3+1形式 Force-air cooling/ 3+1 Mode
燃油牌号/油箱容积 Fuel type / Oil tank capacity	汽油 93#/6.5L Gasoline 93#/6.5L

**适用范围:** 1. 野外森林公园; 2. 大型博览会广告、游乐场巡游拍照; 3. 仿照坦克对立游戏; 4. 战争题材片拍摄; 5. 少年军校与军事夏令营; 6. 旅游景区; 7. 军事题材科技馆等。

**Application scope:** 1. Wild Forest Park; 2. Advertising for large exposition, take pictures in amusement park; 3. Imitate the fighting game of tank; 4. Shoot War film; 5. Junior military academy and military summer camp; 6. Scenic spots; 7. Military Science and Technology Museum, etc.

**车身颜色 Available XBH colors**




军绿  
Green



迷彩  
Camouflage

**车身尺寸 Dimensions of vehicle**





## 西贝虎的部分配套装备 Partial Matching Equipment

无论您是在丛林探秘，在郊野畅游，在小溪汲水，还是在戈壁冲丘，西贝虎配套装备满足您对爱车进行定制一切。驾驶室、顶棚、挡风窗、保险杠、绞盘……这里应有尽有。

Whether you are on a jungle exploration, outdoor's trip, playing in stream or driving in Gobi Desert, XBH matching equipments satisfy all the conditions you want for the vehicles. Driver's Cab, Vehicles' Roof, Windshield Assembly, Bumper, Winch... You can get anything you want here.



### 便捷部件 Convenient Parts

- A. 后脚踏板 Rear Foot Pedal
- B. 可翻转后牵引 Reversible Rear Traction
- C. 牵引球头与座 Rear Towing Ball Seat
- D. 工具袋 Utility Storage Pouch
- E. 空吊钩 Hook for Air-drop



### 安全部件 Safety Parts

- A. 保险杠 Bumper
- B. 绞盘及绞盘支架 Winch and Bracket
- C. 排水装置 Drain Equipment
- D. 下车体护套 Utility Storage Pouch
- E. 超温报警及冷却装置 Overheating Prevention and Cooling Equipment
- F. 安全带 Seat Belt
- G. 车罩 Vehicle Cover
- H. 气垫 Air Cushion
- I. 侧翻架2 Anti-roll Rack 2
- J. 侧翻架3 Anti-roll Rack 3
- K. 侧翻架4 Anti-roll Rack 4



不同类型的安全保护侧翻架，防止车辆在行驶中发生侧翻压伤乘员。  
Different types of Antitoll Racks to prevent the vehicle from rolling and protect the passengers.



## 西贝虎的部分配套装备 Partial Matching Equipment

西贝虎配件是专门为西贝虎全地形车设计的，使您干得最欢，玩得最爽，与您爱车配合无间，功能齐全，经久耐用，使您的西贝虎全地形车的用途和性能达到最大化。

The parts and accessories are specially designed for XBH all terrain vehicles. It makes you do the best and play most happily. This design matches with your vehicles perfectly. Complete function and durability make XBH come to the maximum use and performance.



### 舒适部件 Comfortable Parts

- A. 刮水器总成 Windshield Wiper Assembly
- B. 挡风窗总成 Windshield Assembly
- C. 暖风系统 Heating System
- D. 车篷（配可折叠骨架）Convertible Frame and Top
- E. 车篷（配侧翻架3）Top(Match Anti-roll Rack 3)
- F. 车棚（配侧翻架4）Top(Match Anti-roll Rack 4)



### 舒适部件 Comfortable Parts



可调座椅 Adjustable Seat



后座2 Rear Seat 2



后座 Rear Seat

### 选装配置 Optional Equipment



独立仪表 Independent instrument panel



组合仪表 Multi-functional Meter



迷彩座椅 Camo



黑皮座椅 Black leather Seat



IA8033 25x11.5-9



IA8004 25x12-9

### 履带 Track Assembly



橡胶履带 Rubber Track Assembly



金属齿履带 Metal Track Assembly



塑料履带 Plastic Track Assembly



西贝虎的部分配套装备  
Partial Matching Equipment

● 附加功能件 Attached Fuctional Accessory



应急照明与供电 Emergency Lighting and Power Supply Device

担架 Stretcher



● 附加功能件 Attached Fuctional Accessory



舷外机支架 Outboard Bracket



推雪铲 Snow Plough



A. 搜索灯 Search Light



B. 导航 Navigation




警灯 Lightbar



LED 长条灯 LED Double Light Bar



C. 音响 Navigation



D. 报话机 Interphone





拖车 "XBH" Trailer 1



拖斗 "XBH" Trailer 2



拖车球罩 Trailer Ball Cover





西贝虎的专用车型  
Special Vehicle Model for XBH



1. 推雪铲——一种简单快速、方便有效的除雪设备，适合道路积雪的清扫和清除。  
Snow Plough—A convenient snow removal equipment that is suitable for road sweeping.

2. 草原消防车——专业用于草原消防领域。  
Grassland Fire-fighting Vehicle—Specially applied in the field of grassland.

3. 消防车——农村、森林、巷道、厂矿、景区的消防。  
Fire-fighting Vehicle—Applied in rural areas, forests, tunnels, mines, and tourist areas.

4. 泵浦车——提供持续远距离抽水和输水，也能直接应用于消防灭火。  
Forest Pump Vehicle—Provide continuous long distance water pumping and water delivery and also can be directly applied to fire fighting.

5. 应急照明供电车——野外作业提供电源及夜间照明。  
Emergency Lighting Supplying Vehicle—Supply power for field work and night illumination.

6. 救援用急救车——提供救援保障作业。  
Rescue Vehicle—Provide rescue operations.

7. 给排水作业车——适用于农村灌溉或为城市内涝提供排水作业。  
Water Supply and Drainage Operation Vehicle—Apply to rural irrigation or drainage for city waterlogging.

西贝虎在各地形下的使用情况  
XBH Vehicles Applied in All Terrains





## 西贝虎重要事件 XBH Important Yearbook



2007年6月，浙江省军区司令考察西贝虎公司，在现场观看演示后对“西贝虎”大加赞赏。

In June 2007, the chief of staff from Zhejiang Provincial Military Command visited the company and he spoke highly of the "Xibei Hu" ATV after viewing the live exhibition.



2007年9月15日，“西贝虎”作为唯一企业方代表参加大兴安岭地区举办的全国森林火灾扑教指系统演练。

On September 15, 2007, as the only representative of enterprises, "Xibei Hu" participated the exercise hosted by the National Forest Fire Fighting Command at Ta Heng-shi Ling.



2007年11月，公司两辆“西贝虎”搭乘“雪龙”号科考船参加第24次南极科考任务，现已成为极地科考不可缺少的装备。

In November 2007, carried by the exploration ship "Xuelong", two "Xibei Hu" vehicles participated in the 24th Antarctic Scientific Expedition Mission. Now they are indispensable equipments in the polar region.

## 西贝虎重要事件 XBH Important Yearbook



2010年7月，公司董事长贾文良先生应邀参加中央电视台《奋斗》栏目。

In July 2010, Chairman Mr. Jia Wenfeng was invited to shoot CCTV's Program "STRUGGLE".



2011年5月，西贝虎水陆两栖全地形车在永康民兵预备役应急队伍演练。

In May 2011, "Xibei Hu" amphibious all-terrain vehicles participated in the exercises of YongKang's Reserve Emergency Team.



2011年11月，俄罗斯驻华大使馆副领事莅临我司参观。

In November 2011, the vice-consul of Russian Embassy in China visited our company.



2008年3月，“西贝虎”参与义乌防暴演练。

In March 2008, "Xibei Hu" participated in the exercises against terrorism in Yiwu city Zhejiang Province, China.



2008年6月12日，中国人民解放军装甲兵工程学院院长任万德少将为我公司授牌。

On June 12, 2008, the major general and Dean of College of Armored Force Engineering of PLA Mr. Ren Wande, gave nameboards to our company.



2008年7月4日，纳米比亚大使体验“西贝虎”。

On July 4, 2008, accompanied by President Jia, the Namibian ambassador had their trial test drive in our company.



2011年10月，湖南卫视为公司“西贝虎”水陆两栖车进行《最高档》节目外景拍摄。

In October of 2011, the amphibious vehicle of our company was invited to shoot "The Top Gear" TV programme of the Hunan TV.



2013年6月，公司董事长贾文良先生应邀录制中央电视台《创业天使》节目，分享创业经验。

In June 2013, the CEO of the company, Mr. Jia Wenfeng, was invited to share his successful business experience on the program "the business angels" in the CCTV.



2013年10月，余姚市遭遇特大水灾，主城区城市交通瘫痪，“西贝虎”紧急前往救援，在大街小巷穿梭自如，为灾民运送物资。

In October 2013, the city of Yuyao suffered devastating flood. Our vehicles played a major role on searching and rescuing the local people during the emergency time.



2008年10月30日，南京军区副司令员王洪光中将来我司参观。

On October 30, 2008, Lieutenant General Wang Hongguang, deputy commander of Nanjing Military Command visited our company.



2009年4月10日，全国各省地震局局长参观“西贝虎”。

On April 10, 2009, directors of earthquake bureau throughout the country visited our company.



2009年6月，公司董事长贾文良先生荣登浙商杂志封面风云人物。

In June 2009, president Mr. Jia Wenfeng appeared as the icon in the cover of Zhejiang businessman magazine.



2013年10月，温州平阳县遭遇特大水灾，“西贝虎”大显神威，仅3个小时救助群众近60名，得到了广大群众与当地政府的高度表扬。

On October 2013, Pingyang suffered a catastrophic flood. Saving around 60 people in only 3 hours, Xibei Hu showed its remarkable power and unparalleled advantages in the extreme situations.



2013年10月，西贝虎公司进行了改制，并成功在浙江省股权交易中心挂牌。

In October 2013, our company was restructured and became the member of equity exchange center of Zhejiang province.



2014年1月，“西贝虎”荣获《2013年CCTV奋斗》栏目年度最佳产品创新奖。

In January 2014, our unique vehicle was rewarded as the Best innovation of the year by the TV program of "2013 CCTV spirit of struggle".





我创业 我努力 我收获 我快乐!

Have my own business Work hard Make gains Enjoy it!

我们的口号  
Our Slogan

【我们的精神 Our Spirit】 勤奋 务实 团结 创新  
Diligence Practical Unity Innovation

【我们的格言 Our Motto】 拥有西贝虎 啥路都不阻  
没有做不到 更没有想不到  
XiBeiHu: Take you to anywhere you like  
Nothing is impossible

【我们的目标 Our Aim】 成为全球最大，功能最全，品质最可靠，  
技术最先进的水陆两栖车生产基地。  
To be the largest, most functional, most reliable  
quality and the most advanced technology  
amphibious vehicle production base in the world.



二〇一二年度北苑街道

科技创新先进企业

义乌市北苑街道办事处  
义乌市科技局  
二〇一二年一月

义乌市高新技术企业

义乌市人民政府  
二〇一二年三月

XBH 8X8-2 中国船级社型式认可证书  
XBH 8X8-2 China classification society certificate of type approval

CE 证书 CE certificate

公司拥有的实用新型专利与发明专利的证书部分  
New utility model patent and invention patent certificates





水陆两栖. 全天候. 全地形. 全轮驱动  
*Amphibious \* All Season \* All Terrain \* All Wheel Drive*



XBH 6x6-1B履带驱动车 Track Drive Vehicle



翻斗车 Tipper



推雪铲 Snow Plough

拥有西贝虎 啥路都不阻  
 XiBeiHu: Take you to anywhere you like



橡胶履带车 Rubber Track Assembly Vehicle

